# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 1W O – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 35 (-2; -5) dB |
| U-value * | 0.81 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for a reference window with dimensions 1230x1480mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 2W OT-O – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 35 (-2; -5) dB |
| U-value * | 0.91 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1480x1480mm. with glazing 4/20/4/20/4 Ug=0,5 W/(m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 1W O + L – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 34 (-2; -5) dB |
| U-value * | 0.84 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1180x2180mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 2W OT-O + L TIPP – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 34 (-2; -5) dB |
| U-value * | 0.87 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1480x2180mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 2W OT-O + 2W O-O – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 34 (-2; -5) dB |
| U-value * | 0.9 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1480x2180mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– 3W OT-O-OT – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 7A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 34 (-2; -5) dB |
| U-value * | 0.87 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 2180x1480mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– BALCONY DOOR 1W OT – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 35 (-2; -5) dB |
| U-value * | 0.85 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 880x2080mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400.. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– BALCONY DOOR 2W OT-O – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 34 (-2; -5) dB |
| U-value * | 0.81 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for a reference window with dimensions 1480x2180mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– BALCONY DOOR 1W OT + L – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 35 (-2; -5) dB |
| U-value * | 0.88 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 880x2580mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– BALCONY DOOR 2W OT-O + L TIPP – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 33 (-2; -5) dB |
| U-value * | 0.81 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1480x2580mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– BALCONY DOOR 2W OT-O + 2W O-O – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 33 (-2; -5) dB |
| U-value * | 0.89 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for an example window with dimensions 1480x2580mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr:** -

Unique identification code of product type:

**EUROSYSTEM** 92 **– FIX – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 5 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 9A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 35 (-2; -5) dB |
| U-value * | 0.75 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,53 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,74 |
| Air permeability | Class 4 |

*values given according to calculations for a reference window with dimensions 1230x1480mm. with glazing 4/20/4/20/4 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– OUTSIDE DOOR 1W – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 3 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Uncovered (A)] | Class 7A |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 38 (-2; -5) dB |
| U-value * | 0.97 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,50 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,73 |
| Air permeability | Class 4 |

*values given according to calculations for an example door with dimensions 1080x2180mm. with glazing VSG 33.1/18/4/18/VSG 33.1 Ug = 0,5 W / (m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r.*

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06

# MALECOKNA.PL

**Declaration of Performance**

**Nr: -**

Unique identification code of product type:

**EUROSYSTEM** 92 **– OUTSIDE DOOR 2W – production number given on product label**

Apply: windows and doors to use in residenial buildings and public buildings

Producer: PPUH Dariusz Malec, ul. Królowej Jadwigi 13e, 78-200 Białogard, NIP: PL 669-000-73-06

The system of assessment and verification of constancy of performance: System 3

Harmonized Norm: EN 14351 – 1: 2006+A1:2012

Notified body:

- PfB GmbH & Co. Prüfzentrum für Bauelemente KG,

  Stephanskirchen (Rosenheim) NB-NR. 1644

| Essential characteristics | Declared performance |
|---|---|
| Resistance to wind load - Test pressure | Class 2 |
| Resistance to wind load - Frame deflection | Class C |
| Water tightness [Covered (B)] | Class 2B |
| Dangerous substances | NPD |
| Impact resistance *option glazed outside doors* | Class 2 |
| Load capacity of safety devices | NPD |
| Acoustic properities * | 37 (-2; -5) dB |
| U-value * | 1.0 W/m$^2$K |
| Properties related to solar radiation.<br>g-value | g 0,50 |
| Properties related to solar radiation.<br>Lt-value | Lt 0,73 |
| Air permeability | Class 4 |

*values given according to calculations for an example door with dimensions 1480x2180mm. with glazing VSG 33.1/18/4/18/VSG 33.1 Ug=0,5 W/(m2K), warm edge spacer frame between the glasses. Ψ=0.0400. Detailed values of the product produced are available on the product label.

The performance of the product identified above is in accordance with the set of declared performance. This declaration of performance shall be issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer

*Artur Malec, Białogard, dnia 13.05.2016r*.

PRZEDSIĘBIORSTWO
Produkcyjno-Usługowo-Handlowe
DARIUSZ MALEC
78-200 Białogard, ul. Królowej Jadwigi 13E
tel. 94 312 24 77, tel./fax 94 312 24 76
REGON 330039653 NIP 669-000-73-06